

ALL 0587

Passport data

Accession number	ALL 587
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Saxony, Bad Gotttleuba, Germany - 13°56'47" E / 50°51'05" N
Collection number	529

Field pictures



© Zanke 11.7.2007

Bulbs



© Keller 4.11.2010

Bulbs, cut



© Keller 27.8.1997

Inflorescences



© Zanke 11.7.2007

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	Potato onion
Shape of mature dry bulbs (7.1.11)	globe (5) / high top (9)
Bulb skin colour (7.1.15)	dark brown (6)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 14.50 %

Further remarks: in AFLP analysis included

ALL 0591

Passport data

Accession number	ALL 591
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Thuringia, Schönewerda near Artern, Germany - 11°22'00" E / 51°19'29" N
Collection number	571

Field pictures



© Zanke 11.7.2007



© Zanke 23.7.2010

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 16.5.2007

Inflorescence



© Zanke 11.7.2007

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	Potato onion
Shape of mature dry bulbs (7.1.11)	broad elliptic (6)
Bulb skin colour (7.1.15)	yellow and light brown (3)
Bulb flesh colour (7.1.18)	white (1)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 19.50 % / 1999: 14.89 %

Further remarks: in AFLP analysis included

All 0597

Passport data

Accession number	ALL 597
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Thuringia, Meiningen, Germany - 10°25'09" E / 50°34'22" N
Collection number	127

Field pictures



© Zanke 11.7.2007

Bulbs



© Keller 4.11.2010

Bulbs, cut



© Keller 4.11.2010

Inflorescences



© Zanke 23.7.2010

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	True shallot
Shape of mature dry bulbs (7.1.11)	spindle (8)
Bulb skin colour (7.1.15)	dark violet (9)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 21.90 %

Further remarks: in AFLP analysis included

All 0607

Passport data

Accession number	ALL 607
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Brandenburg, Schwarzheide, Germany - 13°51'43" E / 51°28'29" N
Collection number	283

Field pictures



© Zanke 11.7.2007

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 15.5.2007

© Zanke 16.5.2007

Inflorescences

No picture available

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	Potato onion
Shape of mature dry bulbs (7.1.11)	high top (9)
Bulb skin colour (7.1.15)	yellow and light brown (3)
Bulb flesh colour (7.1.18)	white (1)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 19.90 %

Further remarks: in AFLP analysis included

All 0609

Passport data

Accession number	ALL 609
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Saxony, Plauen, Germany - 12°08'12" E / 50°29'46" N
Collection number	286

Field pictures



© Zanke 11.7.2007

Bulbs



© Keller 4.11.2010

Bulbs, cut



© Keller 4.11.2010

Inflorescences



© Zanke 23.7.2010

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	True shallot
Shape of mature dry bulbs (7.1.11)	broad elliptic (6)
Bulb skin colour (7.1.15)	brown (5)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 23.00 % / 1999: 16.09 %

Further remarks: in AFLP analysis included

All 0620

Passport data

Accession number	ALL 620
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Mecklenburg, West-Pomerania, Wiendorf, Germany - 12°09'03'' E / 53°56'47'' N
Collection number	84

Field pictures



© Zanke 11.7.2007




© Zanke 3.8.2010

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 16.5.2007

Inflorescences

No picture available

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	True shallot
Shape of mature dry bulbs (7.1.11)	flat globe (2)
Bulb skin colour (7.1.15)	dark brown (6)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	more than 3 hearts (3)
Dry matter content of storage organ (8.1.2)	1998: 12.70 % / 1999: 15.46 %

Further remarks: in AFLP analysis included

ALL 0627

Passport data

Accession number	ALL 627
Year of introduction	1975
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	GDR Landraces collection 1975
Collecting site	Brandenburg, Kemmen near Calau, Germany - 13°54'36" E / 51°43'57" N
Collection number	377

Field pictures



© Zanke 11.7.2007



© Zanke 3.8.2010

Bulbs




© Keller 4.11.2010

Bulbs, cut



© Keller 4.11.2010

Inflorescences



© Zanke 23.7.2010

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	Potato onion
Shape of mature dry bulbs (7.1.11)	broad elliptic (6)
Bulb skin colour (7.1.15)	dark brown (6)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	single heart (1) / 2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 16.70 % / 1999: 15.01 %

Further remarks: in AFLP analysis included

ALL 0705

Passport data

Accession number	ALL 705
Year of introduction	1983
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	Landraces Collection Czechoslovakian Socialist Republic 1981, Western Slovakia
Collecting site	Vyskovec, White Carpathians, Slovakia - 17°50'15" E / 48°56'13" N / altitude 500-750 m
Collection number	196

Field pictures



© Zanke 11.7.2007



© Zanke 3.8.2010

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 17.5.2007

Inflorescence



© Zanke 23.7.2010



© Zanke 3.8.2010

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	True shallot
Shape of mature dry bulbs (7.1.11)	rhomboid (3)
Bulb skin colour (7.1.15)	brown (5)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	more than 3 hearts (3)
Dry matter content of storage organ (8.1.2)	1998: 14.80 %

Further remarks: in AFLP analysis included

ALL 0719

Passport data

Accession number	ALL 719
Year of introduction	1986
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	Landraces Collection Georgian Socialist Soviet Republic 1985
Collecting site	Adjara, District of Shuakhevi, Chabelasvilebi, farm, Georgia - 41°37'00" E / 41°32'00" N
Collection number	1774

Field pictures



© Zanke 11.7.2007




© Zanke 3.8.2007

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 17.5.2007

Inflorescences

No picture available

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	Potato onion
Shape of mature dry bulbs (7.1.11)	globe (5)
Bulb skin colour (7.1.15)	brown (5)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 17.90 %


Further remarks: in AFLP analysis included

ALL 0726

Passport data

Accession number	ALL 726
Year of introduction	1987
Taxon	<i>Allium cepa</i> L. <i>Aggregatum</i> Group
Collection	Landraces Collection Georgian Socialist Soviet Republic 1986
Collecting site	Tbilisi, cooperative market, Donor R. K. Beridze, Georgia - 44°47'03'' E 41°43'03'' N
Collection number	1900

Field pictures



© Zanke 11.7.2007



© Zanke 3.8.2010

Bulbs



© Zanke 15.5.2007

Bulbs, cut



© Zanke 17.5.2007

Inflorescences

No picture available

Characterisation data

Descriptor (Descriptor Code)	Value (Scoring Value)
Subgroup characterization	True shallot
Shape of mature dry bulbs (7.1.11)	rhomboid (3)
Bulb skin colour (7.1.15)	brown (5)
Bulb flesh colour (7.1.18)	violet / white (4)
Bulb hearting (7.1.27)	2-3 hearts (2)
Dry matter content of storage organ (8.1.2)	1998: 15.40 % / 1999: 14.99 %

Further remarks: in AFLP analysis included